HEYA METAL

SOLUTION PROVIDER FOR AUTOMOTIVE EXHAUST SYSTEM





HIGH PERFORMANCE EXHUAST SYSTEM PARTS

WWW.HEYAMETAL.COM

Add: Hegui Industry Zone, Nanhai, Foshan, Guangdong, China Phone: +86 756 8606686 Email: postmaster@heyametal.com

AFTER SALES MARKET PRODUCTS WORKSHOP

OEM WORKSHOP & CNC STATION CENTER

FOSHAN, GUANGDONG, CHINA





SOME OF OUR PATENT

	シングの公式 シングの公式 変用新型な利証书	ま用新型な利祉书	→→→→→→→→→→→→→→→→→→→→→→→→→→→→→→→→→→→→		中市人民共和国国家版权局 计算机软件著作权 使起逐 排
status - energian	starsa - accompanya	stance -extended comment	STATE PROPERTY OWNER	STAKIS - HOFFBARDIN ON	P C C A BATASHORIZAAMAAVAA
4.4.5.434149901	V R To A RELEASE	e a sumulation	· · · · ·	A REALIZED AND THE STATE	
A CONTRACTOR AND A CONTRACT AND A CONTRACTACTACTACTACTACTACTACTACTACTACTACTACTA	L R.H. L. BOOMMARKSHAMMER	1 0 0 1 010000000000000000000000000000	A A A A DATABASE STREAM	A STATE A BUILDING STATE AND A	PREASE MONIGAT
R to save a contraction graderation provide RAN DAY DAY RAN DAY DAY RAN DAY DAY RAN DAY	 A. Same J. Contractory and deep proceed. M. S. S. S. S. Same J. Contractory and Society of Longerous Sciences, Nature 1997, 19977, 19977, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 19977, 199	A A DESCRIPTION OF A DE	 R. S. SHOULD AND ADDRESS STRANDS AND ADDRESS ADDR	(i) in non-classical parameters (new of EAR (14) - EAR (14) - E	RADRIC SEEN
CERTIFICATION CALIFORNIA CALIFORNA CALIFICA CALIFICACIÓN C	ELAN ANALAN ALANG MERTENDA ALA FAN ALA MERTENDER VELAN ALA ALA ALA ALA ALA ELAN ALA ALA ALA ALA ALA ALA ALA ALA MERTENDER ALA ALA ALA ALA ALA ALA ALA CALANZA ALA ALA ALA ALA ALA ALA ALA ALA CALANZA ALA ALA ALA ALA ALA ALA ALA ALA ALA A	EREALANDER LANDER GALLANDE GEFTEN, BELT BERTER BERTENDEL EINE BERTENDEN, BELT BERTENDE BERTENDER BERTENDER FERLENDER LANDER AND AUGUST BELTENDELLE BERTENDER FERLENDER BELTENDELLE BERTENDER FERLEN	GENERALMAN KANNEL KANNEL KANNEL KAN PERSENTAL KANNEL KANNEL KANNEL KANNEL KANNEL KANNEL KANNEL KANNEL KANNEL PERSENTAL KANNEL KANNEL KANNEL	 Theory address of the construction of the sector sector sector restruction of the construction of the sector a sector of the sector of the sector of the sector of the sector of the sector of the sector of the sector of the sector of the sector of the sector of the sector of the sector of the sect	8 2 9. Internation 88 (1278-1478) 8 (1288) 2018-2018 (1 90) - 0-188859-0-0-8, 1018-0-122)
α	ала тр t-fan инт тр t-fan	α	·····································		

- A kind of tailpipe welding and forming production equipment
- A kind of cooling control structure
- A kind of arcwelding processing station for auto parts
- A kind of error-proof stamping and forming device
- A kind of **rotary cutting** device for auto parts cutting and processing







Certificate IATF 0409565 Certificate SGS CN21/31271

The management system of

Foshan Nanhai Hexin Flex Metal Manufactory Co., Ltd.

No. 18, Shunjing Avenue, Area B, Heshun, He Gui Industrial Zone, Lishui Town, Nanhai District, Foshan City, Guangdong Province, P.R. China

has been assessed and certified as meeting the requirements of

IATF 16949:2016

Edition 1

For the following activities

Manufacture of flexible pipes, finishers and oil pipes for exhaust system

EXCLUSIONS: 8.3 product Design

3 Year certification is valid from 07 July 2021 until 06 July 2024 and remains valid subject to satisfactory surveillance audits. Version no.01 Current version updated 07 July 2021

Authorised

Alesuglaws



Veto Power Authority

Contracted Office: SGS United Kingdom Ltd, Station Road, Oldbury, B69 4LN, UK. E-mail: Neil:Hall@gag.com SGS IATF 16949 0417 Page 16 f

This document is issued by the Company subject to its General Conditions of Conflictanti Sanckos accessible at www ago confirmer, and professional more fleetings in seminorities interfaces of a solary to predeficianti and predeficiant they have ago contribution fleeting of the control is of the document is unleadul and offenders may be presented to be taken of the document is unleadul and offenders may be presented to be taken to the document is unleadul and offenders may be presented to be taken and the law.



ENGINEERING WORKSHOP

Well experienced employees with **high-tech machinery**, **corresponding processing machines** able to produce sample and pre-series.





ENGINEERING WELDING

Using full automatic robot welding and according to following standard: DIN EN ISO 9606-1/4 DIN EN ISO 15607-1 EN ISO 14732:2013

R&D CENTER

With a highly motivated and talented team, a **strong research and development department** and a **great production capacities**, HEYA METAL is able to react and respond promptly to customer needs and projects.



HEYA METAL MANUFACTORY



3D Laser Welder

- With high welding efficiency
- Can weld **any shape** of the workpiece
- Can weld **all kinds of** metal materials



Our Patented EQUIPMENT

Our patented production facility includes **advance 3D welding**, **cutting** and **automatic polishing** technology.Not only does it **enhance** our in-house production capabilities by **streamlining** processes, shortening **lead times** and **minimising operatingcosts**, but it also to improve **productivity** and **quality**.

We are excited to discuss partnerships and potential sales with industrypeers as we believe this innovation has the potential to **revolutionise** the way automotive parts are produced.





Auto Polishing Machine

• Reduce the labour cost and improve the production efficiency

- Can fine-polish various material workpieces
- Guarantee the workers are more **safety** during polishing process.

3D Laser Cutting Machine

- Fast cutting **speed** and high **precision**
- Can cut **all kinds of** metal materials
- Aim to high quality of cutting section
- Non-contact cutting to realize safety and low pollution



CATEGORY

Without Inner Braid

This kind of flexible pipe without any inner braid/interlock, it could provide the basic decrease of noise and vibration. It is the most economic choose among all flexible pipes range.

With Inner Braid

With additional inner wire braid to reduces noise and dissipates heat.

Furthermore, the inner braid could prevent excessive bellows expansion when there is excessive muffler movement.

With Interlock

Interlock is used if the temperature reaches 800°C and the noise level is extremely high. In some conditions, interlock flex pipe is more durable than the Inner Braid Lined pipe, but it has less mobility and vibration damping ability.

With soft wire mesh

The outer braid is made with soft wire mesh design. This design could combine the advantage of Interlock and Inner braid, which ensures its long working service and special twisting ability. It is more suitable to use on high end tuning exhaust system.



MORE CATEGORY RANGE RELATED TO EXHAUST FLEX PIPE

Interlock Pipe EGR Pipe Oval Flexible Pipe Exhaust Flexible Pipe Exhaust Flexible Pipe with Flange Expansion Joint Bellow Pipe Image: Stream of the stream

ADVANTAGE

Using standard high quality SS304, Nickel content conform to 8%.

Using **2 ply of bellow**, with Ω shape to guarantee highest flexibility.

Outer braid use 10-15 wires based on different diameter.

Conform to 1.0-2.5MPA pressure test, could make customized design for higher pressure.

Award ISO/TSI 16949 quality management system for EU standard.

AVAILABLE SIZE RANGE

Inner Diameter:

32mm,38mm,42mm,45mm,51mm,54mm,57mm,63mm,76mm,89mm, 102mm, 125mm

Length:

100mm, 120mm, 150mm, 186mm, 200mm, 230mm, 250mm, 280mm equal to 4"6"8"10"12"14" etc

Remark:

Extra special size can be customized as per customer's requirement



EXHAUST SYSTEM

Heya Metal is not just about performance. Based on thousands of mold tools, we offer a full line of exhaust system for all vehicle makes and models. This includes parts such as cat back, header, manifold, downpipe, etc

Manifold

Heya introduces **completely different** exhaust system compared with the maker of original exhaust manifolds. With our product you can **retain** the genuine setup and **no special modifications** are needed to fit the standard turbo.

Header

Heya exhaust header is the same as the racing part has many strong points such as lightweight, strength, beauty, and the good exhaust system of the efficiency.

Downpipe

An exhaust part to get **maximum performance** out of the turbocharged engine.

Heya downpipe as a turbocharger in high rpm / high boost and improves **throttle response**, allowing to experience more **powerfull linear boost**.

Cat back

Cat-back exhaust refers to **any part** of the exhaust system that's **behind the catalytic converter**. Typically, this includes the pipe **connecting** the pipe from the catalytic converter to the muffler, the muffler, and the tailpipe or exhaust tips.



AVAILABLE RANGE



CATALYTIC CONVERTER

• The **catalytic converter** is a device installed in the exhaust tube near the engine

• On the outside, it is made of a **stainless steel shell**(S304 or S409 material)

• Frequently covered with a **heat-shield**, that protects the lower parts of the vehicle from the high temperatures reached

 Inside, metal or ceramic honeycombed substrate, 100/200/300/400 cpion the surface of the substrate, coated with the precious metals such as platinum, palladium and rhodium • High quality support matting and stainless steel mesh seal combined to **increase service life**

• High fiow converters-round or oval-producing enhanced engine response and better performance

• Meet the emission standard Euro2,3,4,5 or EPA,CARB



MUFFLER

TIPS

HEYA muffler are designed for **performance and sound**. We could offers a **wide range of universal performance** mufflers to meet any demand.

•Chamber Muffler •Straight through muffler •Modified car muffler •Truck muffle

Upgrading your vehicle's exhaust tips is a great way to make it more **stylish** and in some cases, enhance **sound**. HEYA offers a **wide selection** of exhaust tips such as **carbon fibers**, **burnt blue**, **original** stainless steel and others. The exhaust tip you select will give your vehicle a **powerful** and **distinctive** look that will stand out from the rest!





CLAMP/FLANGE

Heya exhaust clamp & flange is a simple, effective way to connect exhaust system components such as pipes, mufflers and catalytic converters.





Clamp

We could offers a wide range of **universal** performance clamps including **V-Band** clamp, **T-Bolt** clamp, **U-Bold** clamp, **Heavy-duty exhaust** clamp, **three-layer walls** clamp, etc

- Raw Material: SUS #300 Series, SUS #400 Series
- Plain steel with treatment to 10.9 grade
- Nut: All metal with heat treatment to 10.9 grade
- Easy assembly and dis-assembly



Flange

Exhaust flanges used for replacing corroded flanges on your exhaust or as a convenient way of connecting different sections of your exhaust together. Made from different raw materials, we stock a **wide variety** of flanges with **different thicknesses** and **different bore sizes**.

- Raw Material: carton steel, SS201, SS304
- Process: Laser cutting, CNC station
- Easy assembly and dis-assembly





WWW.HEYAMETAL.COM

Add: Hegui Industry Zone, Nanhai, Foshan, Guangdong, China Phone: +86 756 8606686 Email: postmaster@heyametal.com

